

Section 5.2 - Binomial Probability Distributions

Chris Godbout

Outline

Introduction

Examples

Introduction

Definition

Definition (Binomial Probability Distribution)

A **binomial probability distribution** results from a procedure that meets the following requirements:

Definition

Definition (Binomial Probability Distribution)

A **binomial probability distribution** results from a procedure that meets the following requirements:

1. The procedure has a *fixed number of trials*.

Definition

Definition (Binomial Probability Distribution)

A **binomial probability distribution** results from a procedure that meets the following requirements:

1. The procedure has a *fixed number of trials*.
2. The trials must be *independent*.

Definition

Definition (Binomial Probability Distribution)

A **binomial probability distribution** results from a procedure that meets the following requirements:

1. The procedure has a *fixed number of trials*.
2. The trials must be *independent*.
3. Each trial must have all outcomes classified into *two categories* (usually called success and failure).

Definition

Definition (Binomial Probability Distribution)

A **binomial probability distribution** results from a procedure that meets the following requirements:

1. The procedure has a *fixed number of trials*.
2. The trials must be *independent*.
3. Each trial must have all outcomes classified into *two categories* (usually called success and failure).
4. The probability must remain the same for all trials.

Definition

Definition (Binomial Probability Distribution)

A **binomial probability distribution** results from a procedure that meets the following requirements:

1. The procedure has a *fixed number of trials*.
2. The trials must be *independent*.
3. Each trial must have all outcomes classified into *two categories* (usually called success and failure).
4. The probability must remain the same for all trials.
5. The random variable X counts the number of successes in n trials.

Notation

Notation

- The probability of success is p .

Notation

- The probability of success is p .
- The probability of failure is $1 - p$.

Notation

- The probability of success is p .
- The probability of failure is $1 - p$.
- n is the fixed number of trials.

Notation

- The probability of success is p .
- The probability of failure is $1 - p$.
- n is the fixed number of trials.
- $P(X = x)$ is the probability of getting exactly x successes.

Notation

- The probability of success is p .
- The probability of failure is $1 - p$.
- n is the fixed number of trials.
- $P(X = x)$ is the probability of getting exactly x successes.
- $P(X < x)$ is the probability of getting *fewer* than x successes.

Theorem (Binomial Probability Formula)

$$P(X = x) = {}_n C_x \cdot p^x \cdot (1 - p)^{n-x}$$

Mean and Standard Deviation

Mean and Standard Deviation

Mean

The mean of a binomial probability distribution is

$$E(X) = \mu = np$$

Mean and Standard Deviation

Mean

The mean of a binomial probability distribution is

$$E(X) = \mu = np$$

Standard Deviation

The standard deviation of a binomial probability distribution is

$$\sigma = \sqrt{np(1-p)}$$

Examples

Multiple-choice tests

A student guesses randomly on 10 questions, each with 5 possibilities.

Multiple-choice tests

A student guesses randomly on 10 questions, each with 5 possibilities.

- What is p ?

Multiple-choice tests

A student guesses randomly on 10 questions, each with 5 possibilities.

- What is p ?
- What is $P(X = 7)$?

Multiple-choice tests

A student guesses randomly on 10 questions, each with 5 possibilities.

- What is p ?
- What is $P(X = 7)$?
- What is the probability that the student gets at least 7 correct?

Blood!

Assume that 45% of all people have blood that is in Group O.

Blood!

Assume that 45% of all people have blood that is in Group O.

- What is the probability that exactly 3 out of 8 people have blood in Group O?

Blood!

Assume that 45% of all people have blood that is in Group O.

- What is the probability that exactly 3 out of 8 people have blood in Group O?
- What is the probability that no more than 3 out of 8 people have blood in Group O?

Blood!

Assume that 45% of all people have blood that is in Group O.

- What is the probability that exactly 3 out of 8 people have blood in Group O?
- What is the probability that no more than 3 out of 8 people have blood in Group O?
- What is the probability that exactly 16 out of 21 people have blood in Group O?